Atty. Dkt. No. 067808:0113

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Terence F. Kelly, et al.

Title:

SYNCHRONIZED GRAPHICAL INFORMATION AND TIME-LAPSE PHOTOGRAPHY FOR WEATHER PRESENTATIONS AND THE LIKE


Appl. No.:

09/909,553

Filing Date: July 20, 2001

Art Unit:

2671



#### RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

### (TRANSMITTAL OF FORMAL DRAWINGS)

Commissioner for Patents Washington, D.C. 20231

Sir:

Transmitted herewith are the formal drawings (4 sheets) for the above-identified application. The Official Draftsperson is respectfully requested to approve these drawings for entry into the application.

The formal drawings transmitted herewith are filed in response to the Notice to File Corrected Application Papers, dated September 6, 2001, the time for response to expire November 6, 2001, a copy of which is enclosed.

Date October 23, 2001

**FOLEY & LARDNER** 

Verex Plaza

150 East Gilman Street

Madison, Wisconsin 53703-1481

Telephone:

(608) 258-4265

Facsimile:

(608) 258-4258

Respectfully submitted,

Peter J. Manghera Attorney for Applicant

Registration No. 40,080



### UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

PRIACATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

098909,553

¥ánghera

07/20/2001

Terence F. Kelly

067808:0113

CONFIRMATION NO. 2566 FORMALITIES LETTER

FOLEY & LARDNER 150 East Gilman Street

P. O. Box 1497

U

Madison, WI 53701-1497

Date Mailed: 09/06/2001

# NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE